

## APPENDIX II: PIE LTER BIBLIOGRAPHY

### Journal Articles

- Fry, B., Hopkinson, C., Nolin, A., & Wainright, S. (1998)  $^{13}\text{C}/^{12}\text{C}$  composition of marine dissolved organic carbon. *Chemical Geology*, 152, 113 - 118.
- Holmes, R.M., McClelland, J., Sigman, D.M., Fry, B., & Peterson, B.J. (1998) Measuring  $^{15}\text{N}-\text{NH}_4$  in marine, estuarine, and freshwaters: an adaptation of the ammonium diffusion method for samples with low ammonium concentrations. *Marine Chemistry*, 60, 235-243.
- Hopkinson, C.S., Buffam, I., Hobbie, J., Vallino, J., Perdue, M., Eversmeyer, B., Prahl, F., Covert, J., Hodson, R., Moran, M.A., Smith, E., Baross, J., Crump, B., Findlay, S., & Foreman, K. (1998a) Terrestrial inputs of organic matter to coastal ecosystems: An intercomparison of chemical characteristics and bioavailability. *Biogeochemistry*, 43, 211-234.
- Hopkinson, C.S., Giblin, A.E., Garritt, R.H., Tucker, J., & Hullar, M.A.J. (1998b) The influence of the benthic boundary layer on growth of pelagic bacteria. *Aquatic Microbial Ecology*, 16, 109-118.
- Schmitt, C., Weston, N.B., & Hopkinson, C. (1998) A preliminary evaluation of sedimentation rates and species distribution in Plum Island estuary, Massachusetts. *Biological Bulletin*, 195, 232-233.
- Sweeney, J., Deegan, L., & Garritt, R. (1998) Population size and site fidelity of *Fundulus heteroclitus* in a macrotidal saltmarsh creek. *Biological Bulletin*, 195, 238-239.
- Vallino, J.J. & Hopkinson, C.S. (1998) Estimation of dispersion and characteristic mixing times in Plum Island Sound Estuary. *Estuarine, Coastal and Shelf Science*, 46, 333-350.
- Canfield, S., Claessens, L., Hopkinson, C.S., Rastetter, E., & Vallino, J. (1999) Long-term effect of municipal water use on the water budget of the Ipswich River basin. *Biological Bulletin*, 197, 295-297.
- Holmes, R.M., Aminot, A., Kerouel, R., Hooker, B.A., & Peterson, B.J. (1999) A simple and precise method for measuring ammonium in marine and freshwater ecosystems. *Canadian Journal of Fisheries and Aquatic Science*, 56, 1801-1808.
- Hopkinson, C.S., Giblin, A.E., Tucker, J., & Garritt, R.H. (1999) Benthic metabolism and nutrient cycling along an estuarine salinity gradient. *Estuaries*, 22, 825-843.
- Komarow, S., Young, T., Deegan, L., & Garritt, R. (1999) Influence of marsh flooding on the abundance and growth of *Fundulus heteroclitus* in salt marsh creeks. *Biological Bulletin*, 197, 299-300.
- Machas, R. & Santos, R. (1999) Sources of organic matter in Ria Formosa revealed by stable isotope analysis. *Acta Oecologica*, 20, 463-469.
- Mondrup, T. (1999) Salinity effects on nitrogen dynamics in estuarine sediment investigated by a plug-flux method. *Biological Bulletin*, 197, 287-288.
- Pease, K.M., Claessens, L., Hopkinson, C., Rastetter, E., Vallino, J., & Kilham, N. (1999) Ipswich River nutrient dynamics: Preliminary assessment of a simple nitrogen-processing model. *Biological Bulletin*, 197, 289-290.
- Peterson, B.J. (1999) Stable isotopes as tracers of organic matter input and transfer in benthic food webs: A review. *Acta Oecologica*, 20, 479-487.
- Young, T., Komarow, S., Deegan, L., & Garritt, R. (1999) Population size and summer home range of the green crab, *Carcinus maenus*, in salt marsh tidal creeks. *Biological Bulletin*, 197, 292-299.

- Greenbaum, A. & Giblin, A. (2000) Differences in properties of salt marsh sediment between hayed and reference sites. *Biological Bulletin*, 199, 225-226.
- Holmes, R.M., Peterson, B.J., Deegan, L., Hughes, J., & Fry, B. (2000) Nitrogen biogeochemistry in the oligohaline zone of a New England estuary. *Ecology*, 81, 416-432.
- Howarth, R.W., Anderson, D., Cloern, J., Elfring, C., Hopkinson, C., Lapointe, B., Malone, T., Marcus, N., McGlathery, K., Sharpley, A., & Walker, D. (2000b) Nutrient pollution of coastal rivers, bays and seas. *Issues in Ecology*, 1-15.
- Hughes, J.E., Deegan, L.A., Peterson, B.J., Holmes, R.M., & Fry, B. (2000) Nitrogen flow through the food web in the oligohaline zone of a New England estuary. *Ecology*, 81, 433-452.
- Kirkby, R., Claessens, L., Hopkinson, J., C., Rastetter, E., & Vallino, J. (2000) Modeling the effects of land-use change on nitrogen biogeochemistry in the Ipswich watershed, Massachusetts. *Biological Bulletin*, 199, 218-219.
- Krest, J.M., Moore, W.S., Gardner, L.R., & Morris, J.T. (2000) Marsh nutrient export supplied by ground water discharge: Evidence from radium measurements. *Global Biogeochemical Cycles*, 14, 167-176.
- Perring, A., Williams, M., Hopkinson Jr., C., Rastetter, E., & Vallino, J. (2000) Solute dynamics in storm flow of the Ipswich River Basin: Effects of land use. *Biological Bulletin*, 199, 219-221.
- Pontius Jr., R.G. (2000) Quantification error versus location error in comparison of categorical maps. *Photogrammetric Engineering & Remote Sensing*, 66, 1011-1016.
- Raymond, P.A. & Bauer, J.E. (2000) Bacterial utilization and transport of DOC in a temperate estuary: Implications for export to the coastal ocean. *Aquatic Microbial Ecology*, 22, 1-12.
- Raymond, P.A., Bauer, J.E., & Cole, J.J. (2000) Atmospheric CO<sub>2</sub> evasion, dissolved inorganic carbon production, and net heterotrophy in the York River Estuary. *Limnology and Oceanography*, 45, 1707-1717.
- Vallino, J. (2000) Improving marine ecosystem models: Use of data assimilation and mesocosm experiments. *Journal of Marine Research*, 58, 117-164.
- Burdick, D., Buchsbaum, R., & Holt, E. (2001) Variation in soil salinity associated with the expansion of *Phragmites australis* in salt marshes. *Environmental and Experimental Botany*, 46, 247-261.
- Hopkinson, C.S., Giblin, A.E., & Tucker, J. (2001) Benthic metabolism and nutrient regeneration on the continental shelf off eastern Massachusetts, USA. *Marine Ecology Progress Series*, 224, 1-19.
- Pontius Jr., R.G. & Schneider, L. (2001) Land-use change model validation by a ROC method for the Ipswich watershed, Massachusetts, USA. *Agriculture, Ecosystems & Environment*, 85, 239-248.
- Raymond, P.A. & Bauer, J.E. (2001a) Riverine export of aged terrestrial organic matter to the North Atlantic Ocean. *Nature*, 409, 497-500.
- Raymond, P.A. & Bauer, J.E. (2001b) DOC cycling in a temperate estuary: A mass balance approach using natural <sup>14</sup>C and <sup>13</sup>C isotopes. *Limnology and Oceanography*, 46, 655-667.

- Raymond, P.A. & Bauer, J.E. (2001c) Use of  $^{14}\text{C}$  and  $^{13}\text{C}$  natural abundances for evaluating riverine, estuarine, and coastal DOC and POC sources and cycling: Review and Synthesis. *Organic Geochemistry*, 32, 469-485.
- Raymond, P.A. & Cole, J.J. (2001) Gas exchange in rivers and estuaries: Choosing a gas transfer velocity. *Estuaries*, 24, 312-217.
- Schneider, L. & Pontius Jr., R.G. (2001) Modeling land-use change in the Ipswich watershed, Massachusetts, USA. *Agriculture, Ecosystems & Environment*, 85, 83-94.
- Sundareshwar, P.V., Morris, J.T., Pellechia, P.J., Cohen, H.J., Porter, D.E., & Jones, B.C. (2001) Occurrence and Ecological Implications of Pyrophosphate in Estuaries. *Limnology and Oceanography*, 46, 1570-1577.
- Williams, L., Noblitt IV, G.C., & Buchsbaum, R. (2001) The effects of salt marsh haying on benthic algal biomass. *Biological Bulletin*, 201, 287-288.
- Deegan, L.A. (2002b) Lessons learned: the effects of nutrient enrichment on the support of nekton by seagrass and saltmarsh ecosystems. *Estuaries*, 25, 585-600.
- Hopkinson, C.S., Vallino, J., & Nolin, A. (2002) Decomposition of dissolved organic matter from the continental margin. *Deep Sea Research II*, 49, 4461-4478.
- Huffaker, D. & Pontius Jr., R.G. (2002) Reconstruction of Historical Land Cover in the Ipswich Watershed. *Biological Bulletin*, 203, 253-254.
- Koop-Jakobsen, K. & Giblin, A.E. (2002) Tidal flushing of ammonium from intertidal salt marsh sediments - the relative importance of adsorbed ammonium. *Biological Bulletin*, 203, 258-259.
- LaMontagne, M.G., Giblin, A.E., & Valiela, I. (2002) Denitrification and the stoichiometry of nutrient regeneration in Waquoit Bay, MA. *Estuaries*, 25, 272-281.
- Levine, U.Y. & Crump, B.C. (2002) Bacteroplankton Community Composition in Flowing Waters of the Ipswich River Watershed. *Biological Bulletin*, 203, 251-252.
- Ludlam, J.P., Shull, D.H., & Buchsbaum, R. (2002) Effects of haying on salt marsh surface invertebrates. *Biological Bulletin*, 203, 250-251.
- Morris, J., Sundareshwar, P.V., Nietch, C.T., Kjerfve, B., & Cahoon, D.R. (2002) Responses of coastal wetlands to rising sea level. *Ecology*, 83, 2869-2877.
- Neckles, H., Dionne, M., Burdick, D., Buchsbaum, R., Diers, T., Hutchins, E., & Roman, C. (2002) A monitoring protocol to assess tidal restoration of salt marshes on local and regional scales. *Restoration Ecology*, 10, 556-563.
- Zwart, G., Crump, B.C., Kamst-van Agterveld, M.P., Hagen, F., & Han, S.K. (2002) Typical freshwater bacteria: an analysis of available 16S rRNA gene sequences from plankton of freshwater lakes and rivers. *Aquatic Microbial Ecology*, 28, 141-155.
- Agnew, A.M., Shull, D.H., & Buchsbaum, R.N. (2003) Growth of a salt marsh invertebrate on several species of marsh grass detritus. *Biological Bulletin*, 205, 238-239.
- Cavatorta, J., Johnston, M., Hopkinson, C.S., & Valentine, V. (2003) Patterns of sedimentation in a salt marsh-dominated estuary. *Biological Bulletin*, 205, 239-241.
- Driscoll, C., Whitall, D., Aber, J., Boyer, E., Castro, M., Cronan, C., Goodale, C., Groffman, P., Hopkinson, C., Lambert, K., Lawrence, G., & Ollinger, S. (2003a) Nitrogen pollution: Sources and consequences in the U.S. Northeast. *Environment*, 8-22.
- Driscoll, C., Whitall, D., Aber, J., Boyer, E., Castro, M., Cronan, C., Goodale, C., Groffman, P., Hopkinson, C., Lambert, K., Lawrence, G., & Ollinger, S. (2003b) Nitrogen pollution in the northeastern United States: Sources, effects and management options. *BioSciences*, 53, 357-374.

- El Fantroussi, S., Urakawa, H., Bernhard, A.E., Kelly, J.J., Noble, P.A., & Stahl, D.A. (2003) Direct profiling of environmental microbial populations by thermal dissociation analysis of native ribosomal RNAs hybridized to oligonucleotide microarrays. *Applied Environmental Microbiology*, 69, 2377-2382.
- Green, P.A., Vorosmarty, C.J., Meybeck, M., Galloway, J.N., Peterson, B.J., & Boyer, E.W. (2003) Pre-industrial and contemporary fluxes of nitrogen through rivers: A global assessment based on typology. *Biogeochemistry*, 68, 1-35.
- Hobbie, J., Carpenter, S., Grimm, N., Gosz, J., & Seastedt, T. (2003) The United States Long Term Ecological Research program. *BioSciences*, 53, 21-32.
- Hobbie, J.E. (2003) Scientific accomplishments of the Long Term Ecological Research program: an introduction. *BioSciences*, 53, 17-20.
- Holden, M., Lippitt, C., Pontius, R.G., & Williams, C. (2003) Building a database of historic land cover to detect landscape change. *Biological Bulletin*, 205, 257-258.
- Johnston, M.E., Cavatorta, J.R., Hopkinson, C.S., & Valentine, V. (2003) Importance of metabolism in the development of salt marsh ponds. *Biological Bulletin*, 205, 248-249.
- Kratz, T.K., Deegan, L.A., Harmon, M.E., & Lauenroth, W.K. (2003) Understanding Ecological Variability in Space and Time from Long-Term Observations. *BioSciences*, 53, 57-67.
- Poltz, M.F., Bertilsson, S., Acinas, S.G., & Hunt, D. (2003) A (r)Ray of hope in analysis of function and diversity of microbial communities. *Biological Bulletin*, 204, 196-199.
- Pontius Jr., R.G., Agrawal, A., & Huffaker, D. (2003) Estimating the uncertainty of land-cover extrapolations while constructing a raster map from tabular data. *Journal of Geographical Systems*, 5, 253-273.
- Raymond, P.A. & Hopkinson, C.S. (2003) Ecosystem modulation of dissolved carbon age in a temperate marsh dominated estuary. *Ecosystems*, 6, 694-705.
- Sundareshwar, P.V., Morris, J.T., Koepfler, E.K., & Fornwalt, B. (2003) Phosphorus Limitation of Coastal Ecosystem Processes. *Science*, 299.
- Tobias, C., Giblin, A.E., McClelland, J., Tucker, J., & Peterson, B. (2003a) Sediment DIN fluxes and preferential recycling of benthic microalgal nitrogen in shallow macrotidal estuary. *Marine Ecological Progress Series*, 257, 25-36.
- Tobias, C.R., Cieri, M., Peterson, B.J., Deegan, L.A., Vallino, J., & Hughes, J. (2003b) Processing watershed-derived nitrogen in a well-flushed New England estuary. *Limnology and Oceanography*, 48, 1766-1778.
- Vallino, J.J. (2003) Modeling microbial consortiums as distributed metabolic networks. *Biological Bulletin*, 204, 174-179.
- Walter, J.F., Overton, A.S., Ferry, K.H., & Mather, M.E. (2003) Atlantic coast feeding habits of striped bass: a synthesis of data supporting a comprehensive coast-wide understanding of the trophic biology. *Fisheries Management and Ecology*, 10, 1-13.
- Zappa, C.J., Raymond, P.A., Terray, E.A., & McGillis, W.R. (2003) Variation in surface turbulence and the gas transfer velocity in estuaries over a tidal cycle in a macrotidal estuary. *Estuaries*, 26, 1401-1415.
- Zwart, G., van Hannen, E.J., Kamst-van Agerveld, M.P., van der Gucht, K., Lindstrom, E.S., Van Wichelen, J., Lauridsen, T., Crump, B.C., Han, S.K., & Declerck, S. (2003) Rapid screening for freshwater bacterial groups using reverse line blot hybridization. *Applied Environmental Microbiology*, 69, 5875-5883.

- Acinas, S.G., Klepac-Ceraj, K., Hunt, D.E., Pharino, C., Ceraj, C., Distel, D.L., & Polz, M.F. (2004) Fine-scale phylogenetic architecture of a complex bacterial community. *Nature*, 430, 551-554.
- Clement, J., Holmes, R.M., Peterson, B.J., & Pinlay, G. (2004) Isotopic investigation of nitrogen retention in a riparian ecosystem. *Journal of Applied Ecology*, 40, 1035-1048.
- Crump, B.C., Hopkinson, C.S., Sogin, M.L., & Hobbie, J.H. (2004) Microbial biogeography along an estuarine salinity gradient: the combined influences of bacterial growth and residence time. *Applied and Environmental Microbiology*, 70, 1494-1505.
- Filoso, S., Vallino, J.J., Hopkinson, C., Rastetter, E., & Claessens, L. (2004) Modeling Nitrogen Transport in the Ipswich River Basin, Massachusetts, Using HSPF. *Journal of the American Water Resources Association*, 40, 1365-1384.
- Kerry, J., Boorse, D., & Buchsbaum, R. (2004) The effect of nutrient enrichment and salinity on salt marsh invertebrates in the Plum Island Estuary. *Biological Bulletin*, 207, 174.
- Klepac-Ceraj, V., Bahr, M., Crump, B.C., Teske, A.P., Hobbie, J.E., & Poltz, M.F. (2004) High overall diversity and dominance of microdiverse relationships in salt marsh sulfate-reducing bacteria. *Environmental Microbiology*, 6, 686-698.
- Nielsen, J.L., Schramm, A., Bernhard, A.E., EnghG.J., v.d., & Stahl, D.A. (2004) Flow Cytometry-Assisted Cloning of Specific Sequence Motifs from Complex 16S rRNA Gene Libraries. *Applied and Environmental Microbiology*, 70, 7550-7554.
- Pellerin, B.A., Wollheim, W., Hopkinson, C., McDowell, W., Williams, M., Vorosmarty, C., & Daley, M. (2004) Role of wetlands and developed land use on dissolved organic nitrogen concentrations and DON / TDN in northeastern U.S. rivers and streams. *Limnology and Oceanography*, 49, 910-918.
- Pontius Jr., R.G., Huffaker, D., & Denman, K. (2004) Useful techniques of validation for spatially explicit land-change models. *Ecological Modeling*, 179, 445-461.
- Raymond, P.A., Bauer, J.E., Caraco, N.F., Cole, J.J., Longworth, B., & Petsch, S.T. (2004) Controls on the variability of organic matter and dissolved inorganic carbon age in northeast U.S. rivers. *Marine Chemistry*, 92, 353-366.
- Salgado, J., Costa, M.-J., Cabral, H., & Deegan, L. (2004a) Comparison of fish assemblages in tidal salt marsh creeks and in adjoining mudflat areas in the Tejo estuary. *Cahiers de Biologie Marine*, 45, 213-224.
- Salgado, J., Costa, M.-J., Cabral, H., & Deegan, L. (2004b) Nekton use of salt marsh creeks in the upper Tejo Estuary. *Estuaries*, 27, 818-825.
- Williams, M., Hopkinson, C., Rastetter, E., & Vallino, J. (2004) N budgets and aquatic uptake in the Ipswich River basin, northeastern Massachusetts. *Water Resources Research*, 40, 1-12.
- Bahr, M., Crump, B.C., Klepac-Ceraj, V., Teske, A.P., Sogin, M.L., & Hobbie, J.E. (2005) Molecular characterization of sulfate-reducing bacteria in a New England salt marsh. *Environmental Microbiology*, 7, 1175-1185.
- Bernhard, A., Donn, T.M., Giblin, A.E., & Stahl, D.A. (2005) Loss of Diversity of Ammonia-Oxidizing Bacteria Correlates with Increasing Salinity in an Estuary System. *Environmental Microbiology*, 7, 1289-1297.
- Fagherazzi, S., Torres, R., Hopkinson, C., & vanProosdij, D. (2005) Salt marsh geomorphology: physical and ecological effects on landform. *EOS*, 86, 57-58.
- Hopkinson, C.S. & Vallino, J. (2005) Efficient export of carbon to the deep ocean through dissolved organic matter. *Nature*, 433, 142-145.

- Huang, X. & Morris, J.T. (2005) Distribution of phosphatase activity in marsh sediments along an estuarine salinity gradient. *Marine Ecological Progress Series*, 292, 75-83.
- Meybeck, M. & Vorosmarty, C.J. (2005) Fluvial filtering of land to ocean fluxes: from Holocene variations to Anthropocene. *Compte Rendus*, 337, 107-123.
- Morris, J.T., Porter, D., Neet, M., Noble, P.A., Schmidt, L., Lapine, L.A., & Jensen, J. (2005b) Integrating LIDAR, multispectral imagery and neural network modeling techniques for marsh classification. *International Journal of Remote Sensing*, 26, 5221-5234.
- Thompson, J.R., Pacocha, S., Pharino, C., Klepac-Ceraj, V., Hunt, D.E., Benoit, J., Sarma-Rupavtarm, R., Distel, D.L., & Polz, M.F. (2005) Genotypic diversity within a natural coastal bacterioplankton population. *Science*, 307, 1311-1313.
- Vallino, J., Hopkinson, C.S., & Garritt, R.H. (2005) Estimating estuarine gross production, community respiration and net ecosystem production: A nonlinear inverse technique. *Ecological Modeling*, 187, 281-296.
- Wan, Z. & Vallino, J. (2005) An inverse ecosystem model of year-to-year variations with first order approximation to the annual mean fluxes. *Ecological Modeling*, 187, 369-388.
- Williams, M., Hopkinson, C., Rastetter, E., Vallino, J., & Claessens, L. (2005) Relationships of land use and streamwater solute concentrations in the Ipswich River basin, northeastern Massachusetts. *Wat., Air, & Soil Poll.*, 161.
- Wollheim, W., Pellerin, B., Vorosmarty, C., & Hopkinson, C. (2005) N retention in urbanizing headwater catchments. *Ecosystems*, 8, 871-884.
- Buchsbaum, R., Catena, E.H., & James-Pirri, M.J. (2006) Changes in salt marsh vegetation, *Phragmites australis*, and nekton in response to increased tidal flushing in a New England salt marsh. *Wetlands*, 26, 544-557.
- Claessens, L., Hopkinson, C., Rastetter, E., & Vallino, J. (2006) Evaluating the effect of historical changes in land use and climate on the waterbudget of the Ipswich River Basin, Massachusetts, USA. *Water Resources Research*, 42.
- Farber, S., Costanza, R., Childers, J., Erikson, J., Gross, K., Grove, M., Hopkinson, C., Kahn, J., Pincetl, S., Troy, A., Warren, P., & Wilson, M. (2006) Linking ecology and economics for ecosystem management. *BioScience*, 56, 117-129.
- Fedorko, E., Pontius, G., Aldrich, S., Claessens, L., Hopkinson, C., & Wollheim, W. (2006) Spatial distribution of land-type in regression models of pollutant loading. *Journal of Spatial Hydrology*, 5, 61-80.
- Hill, T. & Polsky, C. (2006) Adaptation to Drought in the Context of Suburban Sprawl and Abundant Rainfall. *Geographical Bulletin*, 47, 85-100.
- Logan, J., Hass, H., Deegan, L.A., & Gaines, E. (2006) Turnover rates of nitrogen stable isotopes in the salt marsh mummichog, *Fundulus heteroclitus*, following a laboratory diet switch. *Oecologia*, 147, 391-395.
- Morris, J.T. (2006) Competition among marsh macrophytes by means of geomorphological displacement in the intertidal zone. *Estuarine and Coastal Shelf Science*, 69, 395-402.
- Oczkowski, A.J., Pellerin, B.A., Hunt, C.W., Wollheim, W.M., Vorosmarty, C.J., & Loder, T.C. (2006) The role of snowmelt and spring rainfall in inorganic nutrient fluxes from a large temperate watershed, the Androscoggin River basin (Maine and New Hampshire). *Biogeochemistry*, 80, 217-234.
- Pontius Jr., R.G., Versluis, A.J., & Malizia, N.R. (2006) Visualizing certainty of extrapolations from models of land change. *Landscape Ecology*, 21, 1151-1166.

- Sorrensen, C., Polsky, C., & Neff, R. (2006) The Human-Environment Regional Observatory (HERO) Project: Undergraduate Research Findings from Four Study Sites. *Geographical Bulletin*, 47, 65-72.
- Wollheim, W.M., Vorosmarty, C.J., Peterson, B.J., Seitzinger, S.P., & Hopkinson, C.S. (2006) Relationship between river size and nutrient removal. *Geophysical Research Letters*, 33.
- Bernhard, A.E., Tucker, J., Giblin, A.E., & Stahl, D.A. (2007) Functionally distinct communities of ammonia-oxidizing bacteria along an estuarine salinity gradient. *Environmental Microbiology*, 9, 1439-1447.
- Giblin, A.E., Weston, N., Banta, G.T., & Hopkinson, C.S. (2007 Submitted) The effect of salinity on nitrogen losses from an oligohaline estuarine sediment. *Estuaries and Coasts*.
- Morris, J.T. (2007) Ecological engineering in intertidal saltmarshes. *Hydrobiologia*, 577, 161-168.
- Drake, D.C., Deegan, L.A., Harris, L.A., Miller, E.E., Peterson, B.J., & Warren, R.S. (2007 In Press) Plant dynamics in fertilized and natural New England saltmarshes: A paired d15N tracer study. *Marine Ecological Progress Series*.
- Galvan, K., Fleeger, J.W., & Fry, B. (2007 In Press) Stable isotope addition reveals dietary importance of phytoplankton and microphytobenthos to saltmarsh infauna. *Marine Ecology Progress Series*.
- Grimm, N., Foster, D., Groffman, P., Grove, M., Hopkinson, C., Nadelhoffer, K., Pataki, D., & Peters, D. (2007 In review) Land change: ecosystem responses to urbanization and pollution across climatic and societal gradients. *Frontiers in Ecology and Environment*.
- Hopkinson, C.S., Lugo, A.E., Alber, M., Covich, A., & van Bloem, S. (2007 In review) Understanding and forecasting the effects of sea level rise and intense windstorms on coastal and upland ecosystems: the need for a continental-scale network of observatories. *Frontiers in Ecology and Environment*.
- Williams, M., Hopkinson, C.S., & Garritt, R.H. (2007 In review) Effects of urbanization on the water quality of the Ipswich River basin, Massachusetts. *J. Env. Qual.*
- Weston, N.B., Giblin, A.E., Banta, G.T., Hopkinson, C.S. & Tucker, J. (2007 Submitted) The effects of varying salinity on ammonium exchange in estuarine sediments of the Parker River, Massachusetts. *Estuaries*.

### **Books**

- Hobbie, J. (2000a) *Estuarine Science: A Synthetic Approach to Research and Practice* Island Press, Washington, DC.
- Howarth, R.W., Anderson, D., Church, T., Greening, H., Hopkinson, C., Huber, W., Marcus, N., Naiman, R., Segerson, K., Sharpley, A., & Wiseman, W. (2000a) *Clean Coastal Waters: Understanding and reducing the effects of nutrient pollution*. National Academy Press, Washington, DC.

### **Book Chapters**

- Vorosmarty, C.J., Li, C., Sun, J., & Dai, Z. (1998). Emerging impacts of anthropogenic change on global river systems: The Chinese example. In *Asian Change in the Context of Global CHange: Impacts of Natural and Anthropogenic Changes in Asia on Global Biogeochemical Cycles* (eds J. Galloway & J. Melillo), pp. 210-244. Cambridge University Press, Cambridge.
- Deegan, L.A., Hughes, J.E., & Rountree, R.A. (2000). Salt marsh ecosystem support of marine transient species. In *Concepts and Controversies in Tidal Marsh Ecology* (eds M. Weinstein & J. Kreeger), pp. 333-365. Kluwer Academic Publisher, The Netherlands.

- Fisher, T.R., Correll, D., Costanza, R., Hollibaugh, J., Hopkinson, C., Howarth, R., Rabalais, N., Richey, J., Vorosmarty, C., & Wiegert, R. (2000). Synthesizing drainage basin inputs to coastal systems. In *Estuarine Science: A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 81-105. Island Press, Washington, DC.
- Geyer, W.R., Morris, J., Prahl, F., & Jay, D. (2000). Interaction between physical processes and ecosystem structure: A comparative approach. In *Estuarine Science: A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 177-206. Island Press, Washington, DC.
- Hobbie, J.E. (2000b). Estuarine Science: The key to progress in coastal ecological research. In *Estuarine Science: A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 1-16. Island Press, Washington, DC.
- Holt, E. & Buchsbaum, R. (2000). Bird use of *Phragmites australis* in coastal marshes of northern Massachusetts. In *Proceedings of the 1st National Conference on Marine Bioinvasions* (ed J. Pederson), Vol. Jan 24-27, 1999, pp. 232-240. MIT Sea Grant, Cambridge, MA.
- Kremer, J., Kemp, W., Giblin, A., Valiela, I., Seitzinger, S., & Hoffman, E. (2000). Linking biogeochemical processes to higher trophic levels. In *Estuarine Science, A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 299-246. Island Press, Washington, DC.
- Mendelssohn, I.A. & Morris, J.T. (2000). Ecophysiological controls on the growth of *Spartina alterniflora*. In *Concepts and Controversies in Tidal Marsh Ecology* (eds M.P. Weinstein & D.A. Kreeger), pp. 59-80. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Morris, J.T. (2000). Effects of sea level anomalies on estuarine processes. In *Estuarine Science: A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 107-127. Island Press, Washington, DC.
- Pontius Jr., R.G., Claessens, L., Hopkinson, C., Marzouk, A., Rastetter, E.B., Schneider, L.C., & Vallino, J. (2000). Scenarios of land-use change and nitrogen release in the Ipswich watershed, Massachusetts, USA. In *Proceedings of the 4th International Conference on Integrating Geographic Information Systems and Environmental Modeling: Problems, prospects, and Needs for Research* (eds B.O. Parks, K.M. Clarke & M.P. Crane). Cooperative Institute for Research in Environmental Science, Boulder, CO.
- Simenstad, C., Brandt, S., Chalmers, A., Dame, R., Deegan, L., Hodson, R., & Houde, E. (2000). Habitat-biotic interactions. In *Estuarine Science: A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 427-460. Island Press, Washington, DC.
- Vorosmarty, C. & Peterson, B. (2000). Macro-scale models of water and nutrient flux to the coastal zone. In *Estuarine Science: A Synthetic Approach to Research and Practice* (ed J. Hobbie), pp. 43-80. Island Press, Washington, DC.
- Deegan, L.A., Kremer, J., Weblar, T., & Brawley, J. (2001). The use of models in integrated resource management in the coastal zone. In *Science and Integrated Coastal Management* (eds B.V. Bodungen & R.K. Turner), pp. 295-306. Dahlem University Press, Berlin.
- Emeis, K.C., Benoit, J.R., Deegan, L., Gilbert, A.J., Lee, V., Glade, J.M., Meybeck, M., Olsen, S.B., & Bodungen, B.V. (2001). Group 4: Unifying concepts for integrated coastal management. In *Science and Integrated Coastal Management* (eds B.V. Bodungen & R.K. Turner), pp. 341-364. Dahlem University Press, Berlin.
- Buchsbaum, R., Deegan, L., & Garritt, R. (2002a). Changes in the fish community of Plum Island Sound from 1965 through 1994. In *The marine resources of the Parker River-Plum Island*

- Sound estuary: An update after 30 years. (eds R. Buchsbaum, T. Purinton & B. Magnusson), pp. 75-102. Massachusetts Office of Coastal Zone Management, Massachusetts Executive Office of Environmental Affairs.
- Deegan, L.A. (2002a). Effects of trawling and dredging on seafloor habitat. In, pp. 107 pp. Committee on Ecosystem Effects of Fishing, National Academy Press, Washington, DC.
- Pontius Jr., R.G., Agrawal, A., & Huffaker, D. (2002) Uncertainty Analysis in Land Change Modeling: Constructing a Gridded Map from Tabular Data. In The Second International Conference on Geographic Information Science, pp. 141-142. GIScience 2002, Boulder, CO.
- Giblin, A.E. & Vallino, J. (2003). The Role of Models in Addressing Coastal Eutrophication Problems. In The Role of Models in Ecosystems Science (eds C.D. Canham, J.J. Cole & W.K. Lauenroth), pp. 327-343. Princeton University Press.
- Hopkinson, C. & Smith, E. (2004). Estuarine respiration. In Respiration of Aquatic Ecosystems of the World (ed P.d.a.P.J.I. Williams), pp. 122-146. Academic Press, New York, NY.
- Mudd, S.M., Fagherazzi, S., Morris, J.T., & Furbish, D.J. (2004). Flow, sedimentation, and biomass production on a vegetated salt marsh in South Carolina: toward a predictive model of marsh morphologic and ecologic evolution. In The Ecogeomorphology of Tidal Marshes (eds S. Fagherazzi, A. Marani & L.K. Blum), pp. 165-187. American Geophysical Union, Washington, D.C.
- Deegan, L.A. & Buchsbaum, R. (2005). The effect of habitat loss and degradation on fisheries. In The Decline of Fisheries Resources in New England: Evaluating the Impact of Overfishing, Contamination, and Habitat Degradation. (eds R. Buchsbaum, J. Pederson & W.E. Robinson), Vol. MITSG 05-5, pp. 67-96. University of Massachusetts Press.
- Morris, J.T., Christian, R.R., & Ulanowicz, R.E. (2005a). Analysis of size and complexity of randomly constructed food webs by information theoretic metrics. In Aquatic Food Webs: an Ecosystem Approach (eds A. Belgrano, U.M. Scharler, J. Dunne & R.E. Ulanowicz), pp. 73-85. Oxford University Press.
- Hopkinson, C. & Giblin, A. (2007 In press). Salt Marsh N Cycling. In Nitrogen in the Marine Environment, 2nd edition (eds R. Capone, D. Bronk, M. Mulholland & E. Carpenter). Elsevier.

### **Dissertations**

- Burgess, P. (1999) Conservation and development in conflict. MS Thesis, Clark University.
- Machas, R. (1999) Analise isotopica da cadeia alimentar da Ria Formosa: Contribuicao relativa dos produtores primarios. MS Thesis, University of Coimbra, Coimbra, Portugal.
- Menard, S. (1999) Land-use change and regional growth in the Ipswich watershed basin. BS Thesis, Clark University, Worcester.
- Mondrup, T. (2000) Salinity effects on tolerance and adaptation of estuarine nitrifying bacteria investigated by a plug-flux method. MS Thesis, Roskilde University (Denmark).
- Agrawal, A. (2001) Uncertainty analysis of land-use change modeling in GIS. MS Thesis, Clark University, Worcester.
- Greenbaum, A.H. (2001) Long-term fate of heavy metals in sediments of a Massachusetts salt marsh. BS Thesis, Wellesley College, Wellesley, MA.
- Haines, J. (2001) The feeding ecology of mummichog and Atlantic silversides in the Rowley River. BS, Conneticut College.
- Horowitz, J. (2001) Stable isotopic analysis of food webs in hayed and reference salt marshes. BS Thesis, Hampshire College.

- Nelson, A. (2001) Quantifying the effectiveness of conservation projects. MS Thesis, Clark University, Worcester.
- Pieri, N. (2001) Quantifying the effectiveness of conservation projects. MS Thesis, Clark University, Worcester.
- Tada, T. (2001) Land use and nitrate loading in small stream catchments. MS Thesis, Clark University, Worcester.
- Aldrich, S. (2002) Water quality as a function of land use. BS Thesis, Clark University, Worcester.
- Head, J. (2002) Identifying impermeable surface from remotely sensed images. MS Thesis, Clark University, Worcester.
- Lunsford, T.L. (2002) Comparison of the fate of dissolved organic matter in two coastal systems: Hog Island Bay, VA (USA) and Plum Island Sound, MA (USA). MS Thesis, The College of William and Mary, Williamsburg, VA.
- Moore, N. (2002) A leakage detection model for determining the value of conservation. MS Thesis, Clark University, Worcester.
- Parker, D. (2002) A method to produce hydrologically corrected DEMs. MS Thesis, Clark University, Worcester.
- Ferry, K. (2003) Factors driving distribution of migratory striped bass across Massachusetts estuaries: predator-prey interactions and implications for multispecies management. MS Thesis, University of Massachusetts.
- Huffaker, D. (2003) The scale at which land change models are accurate. BS Thesis, Clark University, Worcester.
- Koop-Jakobsen, K. (2003) Ammonium dynamics in tidal salt marshes - an experimental study of ammonium adsorption, tidal flushing and ammonium volatilization. MS Thesis, Roskilde University.
- Twitchell, S. (2003) The effects of long term nutrient addition on a salt marsh community. BS Thesis, Middlebury College, Middlebury, VT.
- Lee, W.M. (2004) Factors affecting sedimentation patterns of a tidal marsh in Plum Island Sound Estuary, Massachusetts. B.S. Thesis, College of William and Mary.
- Pellerin, B.A. (2004) The influence of urbanization on runoff generation and stream chemistry in Massachusetts watersheds. PhD. Thesis, University of New Hampshire.
- Randall, J. (2005) The effects of nutrient enrichment and predator removal on algal communities in a New England Marsh. B.S. Thesis, Middlebury College.
- Wollheim, W.M. (2005) The control of watershed nutrient export. PhD. Thesis, University of New Hampshire.

### **Other Publications**

- Buchsbaum, R., Cooper, A., & LeBlanc, J. (1998). The Plum Island Sound/River ecosystem: Current status and future management. Plum Island Sound Minibay Project, Massachusetts Bays Program.
- Leahy, K. & Buchsbaum, R. (1998). Nonpoint source comprehensive implementation program for the Mill River sub-watersheds. Prep. for Mass DEP and US EPA.
- Buchsbaum, R., Cooper, A., & LeBlanc, J. (1999). Conserving the Plum Island Sound/Rivers Ecosystem - A research report and management plan. Produced for the Massachusetts

- Bays Program and the Towns of Ipswich, Rowley and Newbury by Massachusetts Audubon: North Shore Conservation Advocacy.
- Deegan, L., Wright, L.A., Hughes, J., & Boynton, E. (1999). Establishing the Food Web Links between Estuaries and Nearshore Fisheries of New England, Rep. No. Final Report NA 76 FD 0106. NOAA.
- Vallino, J., Hopkinson, C.S., Garritt, R., & Tucker, J. (1999) A non-linear inverse technique to estimate estuarine ecosystem metabolism from whole system oxygen measurements. In Proceedings of the 3rd International Symposium on Ecohydraulics, Salt Lake City, UT.
- Allee, R.J., Dethier, M., Brown, D., Deegan, L., Ford, R.G., Hourigan, T.F., Maragos, J., Schoch, C., Sealey, K., Twilley, R., Weinstein, M.P., & Yoklavich, M. (2000). Marine and Estuarine Ecosystem and Habitat Classification, Rep. No. NOAA Technical Memorandum NMFS-FSPO-43. US Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- Buchsbaum, R. (2000). A Symposium Report: Marine Monitoring in Massachusetts - Water quality monitoring and related activities at Plum Island Sound. Massachusetts Office of Coastal Zone Management, Boston, MA.
- Buchsbaum, R., Purinton, T., & Magnusson, B. (2002b). The marine resources of the Parker River-Plum Island Sound estuary: An update after 30 years. Massachusetts Office of Coastal Zone Management, Massachusetts Executive Office of Environmental Affairs, Boston, MA.
- Driscoll, C., Whitall, D., Aber, J., Boyer, E., Castor, M., Cronan, C., Goodale, C., Groffman, P., Lambert, K., Lawrence, G., Hopkinson, C., & Ollinger, S. (2002). Nitrogen Pollution: From sources to the sea. Science Links - Hubbard Brook Research Foundation, Hanover, NH.
- Versluis, A.J., Pontius Jr., R.G., & Malizia, N.R. (2004) Visualizing the rate at which the accuracy of a land change prediction decays. In Conference proceedings of the meeting of the University Consortium for Geographic Information Science, pp. 29, Silver Spring, MD.
- Morris, J.T. (2005) Effects of changes in sea level and productivity on the stability of intertidal marshes. In UNESCO Proceeding Series on Lagoons and Coastal Wetlands in the Global Change Context: Impact and Management Issues (eds P. Lasserre, P. Viaroli & C. P.), pp. 121-127, Venice.
- Pontius Jr., R.G. & Fedorko, E. (2005) Spatial distribution of land type in regression models of pollutant loading. In Conference Proceedings of the meeting of the American Society for Photogrammetry and Remote Sensing, pp. 5, Baltimore MD.