

IVAN VALIELA

The Ecosystems Center
Marine Biological Laboratory
Woods Hole, Massachusetts 02543
(508) 289-7515
ivaliela@mbl.edu

Education:

Ph.D., Cornell University (1968), Ecology; B.S., Rutgers University (1964), Agricultural Research.

Member:

American Soc. of Limnology and Oceanography, Coastal and Estuarine Research Federation, North Eastern Estuarine Research Soc.

Academic activities:

Senior Res. Scientist, The Ecosystems Center, Marine Biological Laboratory (2008-present)
Emeritus Professor, 2008-present; Professor, 1980-present, Assoc. Professor (1975-1980), Assist. Professor (1969-1975).

Co-Director, Marine Ecology Course, Marine Biological Laboratory (1975-1983).

Act. Director, Boston Univ. Marine Progr. (1986-1987),

Coord., Woods Hole Mar. Sci. Consortium (1985-present), and Director, REU site Coastal Bays of New England (1995-2007).

Taught courses at Fac. de Biología, Univ. de Barcelona (1985), Inst de Biología Marina y Pesquera "Alte. Storni", San Antonio Oeste, Argentina (1986); Facultad de Ciencias del Mar, Univ. de Las Palmas, Gran Canaria, Spain (1989-1991); Inst. de Ciencias del Mar y Limnología, Univ. Nac. Autónoma de México (1998), Inst. Oceanografía, Univ. de Sao Paulo, Brazil (1998); Facultad de Biología, Universidad de Oviedo, 2006, Università Ca' Foscari, Venice, 2007.

Visiting Scholar, Dept. of Oceanography, Univ. of Washington (1981), Univ. of Barcelona (1982).

Post-doctoral NIH Trainee, Department of Zoology, Michigan State University (1969).

Institutional and editorial activity:

Member, Consiglio Científico, Stazione Zoologica "Anton Dohrn", Naples (1995-2000); Board Member, Fundación Antorcha, Argentina; Jury for Fundación Bunge y Born National Prize, Argentina; Bd. of Dir., Assoc. for Preservation of Cape Cod (1989-1991); Bd of Adv., Amer. Littoral Soc. (1982-1996), Ext. Rev. Board, University of Groningen, the Netherlands; Member-at-large of Governing Board of CERF (2007-2010); Jury for BBVA Prize for Biodiversity and Conservation (2008), Member, NOAA Science Advisory Board Ecosystem Sciences and Management Working Group, Pres., Comité Asesor Externo del Laboratorio Internacional de Cambio Global.

Editorial Board, *Rev. Hist. Nat. Litoral* (Argentina) (1982-2000), *Limnetica* (1987-2000), Board of Editors, *Limnology and Oceanography* (1989-1992), *Scientia Marina* (1989-2006). Editor, Estuarine, Coastal and Shelf Science (2006-present).

Other Activities:

Consultant, advisor, and lecturer in coastal ecology to educational institutions, government agencies, towns, and government agencies in Massachusetts, Virginia, New Jersey, New York, Alaska, Argentina, Italy, Spain, Portugal, Mexico, Brazil, and Holland.

Manuscript, book, and proposal reviewer for many journals, government agencies, private foundations, and panel member in various sections of NSF, NASA, EPA, NOAA Sea Grant Programs.

Author of widely used texts: "*Marine Ecological Processes*", Springer-Verlag, New York, 1984, and 2nd Ed. 1995; "*Doing Science: Design, Analysis, and Communication of Scientific Research*" Oxford University Press, New York, 2001, and 2nd Ed., 2009; "*Global Coastal Change*", Blackwell Publ. London, 2006.

Awards

Achievement Award, New England Estuarine Research Society, for very significant contributions to estuarine science, education, conservation, and management. 2005.

William A. Niering Outstanding Educator Award, Estuarine Research Federation, for excellence in coastal and estuarine education. 2005.

Wiese Distinguished Lecturer, Dauphin Island Sea Laboratory, 2007

Publications

- 1967 Hansens, E.J., and I. Valiela. Activity of the face fly in New Jersey. *J. Econ. Ent.* 60:20-28.
- 1969 Valiela, I. An experimental study of the mortality factors of larval *Musca autumnalis* de Geer. *Ecol. Monogr.* 39:199-225.
- Valiela, I. The arthropod fauna of bovine dung in Central New York and sources on its natural history. *J. New York Entom. Soc.* 77:210-220.
- 1971 Valiela, I. Food specificity and community maturity: Preliminary ornithological evidence for a general framework. *General Systems* 16:77-84.
- 1973 Valiela, I., J.M. Teal, and W. Sass. Nutrient retention in salt marsh plots experimentally fertilized with sewage sludge. *Estuar. Coast. Mar. Sci.* 1:261-269.
- Vince, S., and I. Valiela. The effects of ammonium and phosphate enrichments on chlorophyll a, pigment ratio and species composition of phytoplankton of Vineyard Sound. *Mar. Biol.* 19:69-73.
- 1974 Estrada, M., I. Valiela, and J.M. Teal. Concentration and distribution of chlorophyll in fertilized plots in a Massachusetts salt marsh. *J. Exp. Mar. Biol. Ecol.* 14:47-56.
- Banus, M., I. Valiela, and J.M. Teal. Exports of lead from salt marshes. *Mar. Pollut. Bull.* 5:6-9.
- Teal, J.M., and I. Valiela. The Living Filter. *Oceanus* 17:7-10. Reprinted in *Marine Technol. Soc. J.* 7:19-21.
- Krebs, C.T., I. Valiela, G. Harvey, and J.M. Teal. Reduction of field populations of fiddler crabs by uptake of chlorinated hydrocarbons. *Mar. Pollut. Bull.* 5:140-142.
- Prinslow, T., I. Valiela, and J.M. Teal. The effect of detritus and ration size on the growth of *Fundulus heteroclitus* L., a salt marsh killifish. *J. Exper. Mar. Biol. Ecol.* 16:1-10.
- Van Raalte, C., I. Valiela, E.J. Carpenter, and J.M. Teal. Nitrogen fixation: presence in salt marshes and inhibition by additions of combined nitrogen. *Estuar. Coast. Mar. Sci.* 2:301-305.
- Van Raalte, C., W.D. Stewart, I. Valiela, and E.J. Carpenter. A ¹⁴C technique for measuring algal productivity in salt marsh muds. *Botanica Marina* 17:186-188.
- Valiela, I., D. Babiec, W. Atherton, S. Seitzinger, and C. Krebs. Some consequences of sexual dimorphism: feeding in male and female fiddler crabs, *Uca pugnax* (Smith). *Biol. Bull.* 147:652-660.
- Valiela, I., and J.M. Teal. Nutrient limitation in salt marsh vegetation. Pp. 547-563 in R.J. Reimold and W.H. Queen (Eds.), *Ecology of Halophytes*, Academic Press.
- 1975 Valiela, I., M. Banus, and J.M. Teal. Metal retention by salt marsh sediments and the response of marsh bivalves to enrichment with metal-containing fertilizers. *Environ. Pollut.* 7:144-157.
- Valiela, I., J.M. Teal, and W.J. Sass. Production and dynamics of salt marsh vegetation and effect of sewage contamination. Biomass, production and species composition. *J. Appl. Ecol.* 12:973-982.
- Banus, M., I. Valiela, and J.M. Teal. Lead, zinc and cadmium budgets in experimentally enriched ecosystems. *Estuar. Coast. Mar. Sci.* 3:421-430.
- MacLeod, P., and I. Valiela. The effect of density and mutual interference by a predator: a laboratory study of predation by the nudibranch *Coryphella rufibranchialis* on the hydroid *Tubularia larynx*. *Hydrobiologia* 47:339-346.

- 1976 Meany, R., I. Valiela, and J.M. Teal. Growth, abundance and distribution of larval tabanids in experimentally fertilized plots on a Massachusetts salt marsh. *J. Appl. Ecol.* 13:323-332.
- Valiela, I., S. Vince, and J.M. Teal. Assimilation of sewage by wetlands. Pp. 234-253. *Estuarine Processes, Vol. 1. Uses, stresses and adaptation to the estuary.* Academic Press.
- Van Raalte, C.D., I. Valiela, and J.M. Teal. The effect of fertilization on the species composition of salt marsh diatoms. *Water Res.* 10:1-4.
- Van Raalte, C.D., I. Valiela, and J.M. Teal. Productivity of benthic algae in experimentally fertilized salt marsh plots. *Limnol. Oceanogr.* 21:862-872.
- Brenner, D., I. Valiela, C.D. Van Raalte, and E.J. Carpenter. Grazing by *Talorchestia longicornis* on an algal mat in a New England salt marsh. *J. Exper. Mar. Biol. Ecol.* 22:161-169.
- Valiela, I., J.M. Teal, and N.Y. Persson. Production and dynamics of experimentally enriched salt marsh vegetation: below ground biomass. *Limnol. Oceanogr.* 21:245-252.
- Vince, S., I. Valiela, N. Backus, and J.M. Teal. Predation by the salt marsh killifish *Fundulus heteroclitus* (L.) in relation to prey size and habitat structure: consequences for prey distribution and abundance. *J. Exper. Mar. Biol. Ecol.* 23:255-266.
- Valiela, I., and S. Vince. Green borders of the sea. *Oceanus* 19:10-17.
- 1977 Kaplan, W.A., J.M. Teal, and I. Valiela. Denitrification in salt marsh sediments: evidence for seasonal temperature selection among populations of denitrifiers. *Microb. Ecol.* 3:193-204.
- Valiela, I., J.E. Wright, S.B. Volkmann, and J.M. Teal. Growth, production and energy transformations in the salt marsh killifish *Fundulus heteroclitus* (L.). *Mar. Biol.* 40:135-144.
- Onuf, C.P., J.M. Teal, and I. Valiela. Interactions of nutrients, plant growth and herbivory in a mangrove ecosystem. *Ecology* 58:514-526.
- Teskey, H.J., and I. Valiela. The mature larva and puparium of *Canace macateei* (Diptera, Canaceidae). *Canad. Ent.* 109:545-548.
- 1978 Valiela, I., J.M. Teal, and W.G. Deuser. The nature of growth forms in the salt marsh grass *Spartina alterniflora*. *Amer. Nat.* 112:461-470.
- Carpenter, E.J., C.D. Van Raalte, and I. Valiela. Nitrogen fixation by algae in a Massachusetts salt marsh. *Limnol. Oceanogr.* 23:316-327.
- Krebs, C.T., and I. Valiela. Effects of experimentally applied chlorinated hydrocarbons on the biomass of the fiddler crab, *Uca pugnax*. *Estuar. Coast. Mar. Sci.* 6:375-386.
- Teal, J.M., and I. Valiela. Nitrogen budget of a coastal marine ecosystem. *Rapp. P.-V. Reun. Cons. Int. Explor. Mer* 173:101-105.
- Valiela, I., and J.M. Teal. Inputs, outputs and interconversions of nitrogen in a salt marsh ecosystem. Pp. 399-414. In R.K. Jefferies and A.J. Davy (eds.), *Ecological Processes in Coastal Environments.* Brit. Ecol. Soc. Symp. Blackwell.
- Valiela, I., J.M. Teal, S. Volkmann, D. Shafer, and E.J. Carpenter. Nutrient and particulate fluxes in a salt marsh ecosystem: Tidal exchanges and inputs by precipitation and groundwater. *Limnol. Oceanogr.* 23:798-812.

- Teal, J.M., I. Valiela, and D. Berlo. Nitrogen fixation by rhizosphere and free-living bacteria and salt marsh sediments. *Limnol. Oceanogr.* 24:126-132.
- Valiela, I., and J.M. Teal. Nutrient dynamics: summary and recommendations. Pp. 259-266. In R.E. Good, D.F. Whigham and R.K. Simpson (eds.), *Freshwater Wetlands*. Acad. Press.
- Kaplan, W., I. Valiela, and J.M. Teal. Denitrification in a salt marsh ecosystem. *Limnol. Oceanogr.* 24:726-734.
- 1979 Valiela, I., L. Koumjian, T. Swain, J.M. Teal, and J. Hobbie. Cinnamic acid inhibition of detritus feeding. *Nature* 280:55-57.
- Valiela, I., and J.M. Teal. The nitrogen budget of a salt marsh ecosystem. *Nature* 280:652-656.
- 1980 Giblin, A.E., A. Bourg, I. Valiela and J.M. Teal. Uptake and cycling of heavy metals in sewage sludge in a New England salt marsh. *Amer. J. Bot.* 67:1059-1068.
- 1981 Breteler, R.J., I. Valiela, and J.M. Teal. Bioavailability of mercury in several North-eastern U.S. *Spartina* ecosystems. *Estuar. Coast. Shelf Sci.* 12:155-166.
- Breteler, R.J., J.M. Teal, and I. Valiela. Retention and fate of experimentally added mercury in a Massachusetts salt marsh treated with sewage sludge. *Mar. Environm. Res.* 5:211-225.
- Breteler, R.J., A.E. Giblin, J.M. Teal, and I. Valiela. Trace enrichments in decomposing litter of *Spartina alterniflora*. *Aquat. Bot.* 11:111-120.
- Buchsbaum, R., I. Valiela, and J.M. Teal. Grazing by Canada geese and related aspects of the chemistry of salt marsh grass. *Colonial Waterbirds* 4:126-131.
- Howes, B.L., R.W. Howarth, J.M. Teal, and I. Valiela. Oxidation reduction potentials in a salt marsh: Spatial patterns and interactions with primary production. *Limnol. Oceanogr.* 26:350-360.
- Vince, S.W., I. Valiela, and J.M. Teal. An experimental study of the structure of herbivorous insect communities in a salt marsh. *Ecology* 62:1662-1678.
- 1982 Jordan, T.E., and I. Valiela. A nitrogen budget of the ribbed mussel *Geukensia demissa* and its significance in nitrogen flow in a New England salt marsh. *Limnol. Oceanogr.* 27:75-90.
- Teal, J.M., A. Giblin, and I. Valiela. The fate of pollutants in American salt marshes. Pp. 357-366. In B. Gopal, R.E. Turner, R.G. Wetzel, and D.E. Whigham (eds.). *Wetlands: Ecology and Management*. Nat. Inst. of Ecology, Jaipur, India.
- Valiela, I., B. Howes, R. Howarth, A. Giblin, K. Foreman, J.M. Teal, and J.E. Hobbie. The regulation of primary production and decomposition in a salt marsh ecosystem. Pp. 151-168. In B. Gopal, R.E. Turner, R.G. Wetzel, and D.E. Whigham. *Wetlands: Ecology and Management*. Nat. Inst. of Ecology, Jaipur, India.
- Connor, M.S., J.M. Teal, and I. Valiela. The effect of grazing by mud snails (*Ilyanassa obsoleta*) on the structure and metabolism of a benthic algal community. *J. Exp. Mar. Biol. Ecol.* 65:29-45.
- Rietsma, C.S., I. Valiela, and A. Sylvester-Serianni. Food preferences of dominant salt marsh herbivores and detritivores. *Mar. Ecol.* 3:179-189.
- 1983 Giblin, A.E., I. Valiela, and J.M. Teal. The fate of metals introduced into a New England salt marsh. *Water Air Soil Pollut.* 20:81-98.

Jordan, T.E., and I. Valiela. Sedimentation and resuspension in a New England salt marsh. *Hydrobiologia* 98:179-184.

Valiela, I. Nitrogen in salt marsh ecosystems. Pp. 649-678. In Carpenter, E.J., and D.G. Capone (eds.), *Nitrogen in the Marine Environment*. Acad. Press.

Giblin, A.E., M. Piotrowski, B. Leighty, I. Valiela, and J.M. Teal. Response of a salt marsh microbial community to inputs of heavy meals: aerobic heterotrophic metabolism. *Env. Tox. Chem.* 2:343-351.

Hartman, J., H. Caswell, and I. Valiela. Effects of wrack accumulation on salt marsh vegetation. *Oceanol. Acta* 1981:99-102.

1984 Valiela, I., J. Wilson, R. Buchsbaum, C. Rietsma, D. Bryant, K. Foreman, and J. Teal. The importance of chemical composition of salt marsh litter on decay rates and feeding by detritivores. *Bull. Mar. Sci.* 35:261-269.

Valiela, I. Mechanisms linking producers and consumers in salt marsh ecosystems. Pp. 265-294. In B.J. Copeland, K. Hart, N. Davis, S. Friday (eds.). *Research for Managing the Nation's Estuaries: Proceedings of a Conference in Raleigh, N.C.*.

Buchsbaum, R., I. Valiela, and T. Swain. The role of phenolic compounds and other plant constituents in feeding by Canada geese in a coastal marsh. *Oecologia* 63:343-349.

Valiela, I. *Marine Ecological Processes*. Springer-Verlag New York, 546 pp.

Valiela, I. and C.S. Rietsma. Nitrogen, phenolic acids, and other feeding cues for salt marsh detritivores. *Oecologia* 63:350-356.

Wiltse, W.I., K.H. Foreman, J.M. Teal, and I. Valiela. Effects of predators and food resources on the macrobenthos of salt marsh creeks. *J. Mar. Res.* 42:923-942.

1985 Valiela, I., J.M. Teal, S. Volkmann, R. Van Etten, and S. Allen. Decomposition in salt marsh ecosystems: The phases and major factors affecting disappearance of above-ground organic matter. *J. Exp. Mar. Biol. Ecol.* 89:1-26.

Wilson, J.O., I. Valiela, and T. Swain. Sources and concentrations of vascular plant material in sediments of Buzzards Bay. *Mar. Biol.* 90:129-137.

Valiela, I., J.M. Teal, C. Cogswell, J. Hartman, S. Allen, R. Van Etten, and D. Goehring. Some long-term consequences of sewage contamination in salt marsh ecosystems. Pp. 301-316. In Godfrey, P.J., E.R. Kaynor, S. Pelczarski, and J. Benforado (eds.). *Ecological Considerations in Wetlands Treatment of Municipal Wastewaters*. Van Nostrand Reinhold Co., N.Y. 473 pp.

1986 Wilson, J.O., R. Buchsbaum, I. Valiela, and T. Swain. Decomposition in salt marsh ecosystems: phenolic dynamics during decay of litter of *Spartina alterniflora*. *Mar. Ecol. Progr. Ser.* 29:177-187.

Buchsbaum, R., J.O. Wilson, and I. Valiela. Digestibility of plant constituents by Canada Geese and Atlantic Brant. *Ecology* 67:386-393.

White, D. S., C. D'Avanzo, I. Valiela, C. Lasta, and M. Pascual. The relationship of diet to growth and ammonia excretion in salt marsh fish. *Environm. Biol. Fish.* 16:105-111.

Giblin, A.E., G.W. Luther III, and I. Valiela. Trace metal solubility in salt marsh sediments contaminated with sewage sludge. *Estuar. Coast. Shelf Sci.* 23:477-498.

- Valiela, I. Review of "An Introduction to Coastal Ecology" by P. J. S. Boaden and R. Seed. *Quart. Rev. Biol.* 61:424-425.
- 1987 Caraco, N., A. Tamse, O. Boutros, and I. Valiela. Nutrient limitation of phytoplankton growth in brackish coastal ponds. *Canad. J. Fish. Aquat. Sci.* 44:473-476.
- Buchsbaum, R., and I. Valiela. Variability in the chemistry of estuarine plants and its effect on feeding by Canada geese. *Oecologia* 73:146-153.
- Wilson, J.O., I. Valiela, and T. Swain. Decomposition processes in a salt marsh ecosystem: Carbohydrate dynamics during decay of litter of *Spartina alterniflora*. *Mar. Biol.* 92:277-284.
- 1988 Rietsma, C., I. Valiela and R. Buchsbaum. Effects of detrital chemistry on growth and food choice in the salt marsh snail, *Melampus bidentatus*. *Ecology* 69:261-266.
- Valiela, I., and J. Costa. Eutrophication of Buttermilk Bay, a Cape Cod coastal embayment: Concentrations of nutrients and watershed nutrient budgets. *Environm. Manag.* 12:539-553.
- Valiela, I. Conditions and motivations for long-term ecological research: Some notions from studies on salt marshes and elsewhere. Pp. 158-169. In G.E. Likens (ed.), *Long Term Ecological Research*. Springer-Verlag.
- 1989 Valiela, I. Review of "Ecology - Potentials and Limitations", by T. Fenchel. *Estuaries* 11:140-141.
- Valiela, I. Review of "The Ecology and Management of Wetlands", Vols. I, II, by D. Hook and others (eds.). *Marine Technol. Soc. J.* 23:62-63.
- 1990 Valiela, I. Suitably large scales for study of marine ecosystems. Review of "Biomass Yields and Geography of Large Marine Ecosystems, by K. Sherman and L. M. Alexander (eds.). *Ecology* 71:2031.
- D'Avanzo, C., and I. Valiela. Use of detrital foods and assimilation of nitrogen by coastal detritivores. *Estuaries* 13:20-24.
- Valiela, I., J. Costa, K. Foreman, J.M. Teal, B. Howes, and D. Aubrey. Transport of groundwater-borne nutrients from watersheds and their effects on coastal waters. *Biogeochemistry* 10:177-197.
- 1991 D'Avanzo, C.D., M. Alber, and I. Valiela. Nitrogen assimilation from amorphous detritus by two coastal consumers. *Estuar. Coast. Shelf Sci.* 33:203-209.
- Buchsbaum, R., I. Valiela, T. Swain, M. Dzierzeski, and S. Allen. Available and refractory nitrogen in detritus of coastal vascular plants and macroalgae. *Mar. Ecol. Progr. Ser.* 72:131-143.
- Valiela, I., M. Alber, and M. LaMontagne. Fecal coliform loadings and stocks in Buttermilk Bay, Massachusetts, USA, and management implications. *Environm. Manag.* 15:659-674.
- Valiela, I., and R. Buchsbaum. The role of phenolics in marine organisms and ecosystems. Pp. 23-28. In M.-F. Thompson, R. Sarojini, and R. Nagabhushanam (eds.). *Bioactive Compounds from Marine Organisms*. Oxford & IBH Publ. Co. PVT. Ltd.
- Valiela, I. Ecology of water columns. Pp. 29-56. In Barnes, R.S.K., and K.H. Mann (eds.). *Fundamentals of Aquatic Ecology*. Blackwell Sci. Publ. 270 pp.
- Valiela, I. Ecology of coastal ecosystems. Pp. 57-76. In Barnes, R.S.K., and K.H. Mann (eds.). *Fundamentals of Aquatic Ecology*. Blackwell Sci. Publ. 270 pp.

- 1992 Valiela, I. Review of "Estuaries and Coasts: Spatial and Temporal Intercomparisons", by M. Elliot and J.-P. Ducrottoy (eds.). *Quart. Rev. Biol.* 67:224.
- Valiela, I., K. Foreman, M. LaMontagne, D. Hersh, J. Costa, P. Peckol, B. DeMeo-Anderson, C. D'Avanzo, M. Babione, C.-H. Sham, J. Brawley, K. Lajtha. Couplings of watersheds and coastal waters: sources and consequences of nutrient enrichment in Waquoit Bay, Massachusetts. *Estuaries* 15:443-457.
- LMER Coordinating Committee (Valiela, I., and others). Understanding changes in coastal environments: The LMER Program. *EOS, Trans. Amer. Geophys. Union* 73:481, and 484-485.
- Sardá, R., K. Foreman, and I. Valiela. Controls of benthic invertebrate populations and production of saltmarsh tidal creeks: experimental enrichment and short- and long term effects. In G. Columbo, I. Ferrari, V. U. Ceccherelli, and R. Rossi (eds.). *Marine Eutrophication and Population Dynamics. Proc. 25th European Mar. Biol. Symp.* 10: 85-91.
- 1993 Comin, F., and I. Valiela. On the control of phytoplankton abundance and production in coastal lagoons. *J. Coast. Res.* 9:895-906.
- Bierzechudek, A., C. D'Avanzo, and I. Valiela. Effects of macroalgae, night and day, on ammonium profiles in Waquoit Bay. *Biol. Bull.* 185:330-331.
- 1994 Johnson, R., M. LaMontagne, and I. Valiela. Rate of denitrification in submerged salt marsh sediments. *Biol. Bull.* 187:289-290.
- Rudy, M., K. McConnell, and I. Valiela. Organic nitrogen content of groundwater from watershed areas with land use and cover. *Biol. Bull.* 187:278-279.
- Chalfoun, A., J. McClelland, and I. Valiela. Growth of bivalves in estuaries of Waquoit Bay subject to different nitrogen loadings. *Biol. Bull.* 187:281.
- Peckol, P., B. DeMeo-Anderson, J. Rivers, I. Valiela, M. Maldonado, and J. Yates. Growth, nutrient uptake capacities, and tissue constituents of the macroalgae, *Cladophora vagabunda* and *Gracilaria tikvahiae*, related to site-specific nitrogen loading rates. *Mar. Biol.* 121:175-185.
- Sardá, R., K. Foreman, and I. Valiela. Long-term changes of macrofaunal assemblages in experimentally enriched salt marsh tidal creeks. *Biol. Bull.* 187:282-283.
- Alber, M., and I. Valiela. Production of microbial organic aggregates from macrophyte-derived dissolved organic material. *Limnol. Oceanogr.* 39:37-50.
- Alber, M., and I. Valiela. Biochemical composition of organic aggregates produced from marine macrophyte-derived organic matter. *Limnol. Oceanogr.* 39:717-723.
- Alber, M., and I. Valiela. Incorporation of organic aggregates by marine mussels. *Mar. Biol.* 121:259-265.
- 1995 Lajtha, K., B. Seely, and I. Valiela. Retention and leaching losses of atmospherically-derived nitrogen in the aggrading coastal watershed of Waquoit Bay, MA. *Biogeochemistry* 28:33-54.
- Sardá, R., K. Foreman, and I. Valiela. Macroinfauna of a southern New England salt marsh: Seasonal dynamics and production. *Mar. Biol.* 121:431-445.
- Valiela, I., and C.S. Rietsma. Disturbance of salt marsh vegetation by wrack mats in Great Sippewissett Marsh. *Oecologia* 102:106-112.

Alber, M. and I. Valiela. Organic aggregates in detrital food webs: Incorporation by bay scallops, *Argopecten irradians*. Mar. Ecol. Prog. Ser. 121:117-124.

LaMontagne, M.G., and I. Valiela. Denitrification measured by a direct N₂ flux method in sediments of Waquoit Bay, MA. Biogeochemistry 31:63-83.

Bohrer, T., A. Wright, J. Hauxwell, and I. Valiela. Effect of epiphyte biomass on growth rate of *Zostera marina* in estuaries subject to different nutrient-loading. Biol. Bull. 189:260.

Callaway, D., I. Valiela, K. Foreman, and L.A. Soucy. Effects of NO₃ loading and salt marsh habitat on gross primary production and chlorophyll *a* levels in the estuaries of Waquoit Bay. Biol. Bull. 189:254-255.

Chaplin, S.A., C.H. MacGregor, I. Valiela, K. Foreman, and L. Soucy. The effect of residential and forested watershed land cover on nutrient loading to Hamblin and Jehu Ponds, Waquoit Bay, Massachusetts. Biol. Bull. 189:247-248.

Drake, C., P.J. Behr, and I. Valiela. Effect of algal cover on size selective predation of *Gammarus mucronatus* by the striped killifish, *Fundulus majalis*. Biol. Bull. 189: 243-244.

Lyons, J., J. Ahern, J. McClelland, and I. Valiela. Macrophyte abundances in Waquoit Bay estuaries subject to different nutrient loads and the potential role of fringing salt marsh in groundwater nitrogen interception. Biol. Bull. 189:255-256.

MacGregor, C.H., S.A. Chaplin, and I. Valiela. Land cover effects on inorganic nutrients in groundwater and the role of salt marshes in interception of land-derived nutrients entering estuaries of Waquoit Bay, Massachusetts. Biol. Bull. 189:248-249.

Martinez, N., J. Hauxwell, and I. Valiela. Effect of macroalgal species and nitrogen-loading rates on colonization of macroalgae by herbivorous amphipods. Biol. Bull. 189:244-245.

Sardá, R., I. Valiela, and K. Foreman. Life cycle, demography, and production of *Marenzelleria viridis* (Verrill, 1873) in a salt marsh of southern New England. J. Mar. Biol. Assoc. U. K. 75:725-738.

Sheridan, C., I. Valiela, K. Foreman, and L.A. Soucy. Effect of nutrient enrichment on phytoplankton growth in Waquoit Bay, Massachusetts. Biol. Bull. 189:258-259.

Tomasky, G., and I. Valiela. Nutrient limitation of phytoplankton growth in Waquoit Bay, Massachusetts. Biol. Bull. 189-257-258.

Valiela, I. Marine Ecological Processes. 2nd Ed. Springer-Verlag. 686 pp.

Wolfe, C.A., C. Rietsma, and I. Valiela. Foliar release of ammonium and dissolved organic nitrogen by *Spartina alterniflora*. Biol. Bull. 189:262.

Wright, A., T. Bohrer, J. Hauxwell, and I. Valiela. Growth of epiphytes on *Zostera marina* in estuaries subject to different nutrient loading. Biol. Bull. 189:261.

Foreman, K., I. Valiela, and R. Sardá. Controls of benthic marine food webs. Sci. Mar. 59:119-128.

1996 Alber, M., and I. Valiela. Utilization of microbial organic aggregates by bay scallops, *Argopecten irradians* (Lamarck). J. Exp. Mar. Biol. Ecol. 195:71-89.

- Foreman, K., I. Valiela, and R. Sardá. Controls of benthic marine food webs. *Sci. Mar.* 59:119-128.
- Ahern, J., J. Lyons, J. McClelland, and I. Valiela. Invertebrate response to nutrient-induced changes in macrophyte assemblages in Waquoit Bay. *Biol. Bull.* 189:241-242.
- Valiela, I., P. Peckol, C. D'Avanzo, K. Lajtha, J.N. Kremer, W.R. Geyer, K. Foreman, D. Hersh, B. Seely, T. Isaji, and R. Crawford. Hurricane Bob on Cape Cod. *Amer. Scientist* 84:154-165.
- Dickens, A., L. Soucy, and I. Valiela. Particulate and dissolved nitrogen: A study of transformations in groundwater and estuarine samples of the Waquoit Bay estuarine system. *Biol. Bull.* 191:331-332.
- Feinstein, N., S. Yelenik, J. McClelland, and I. Valiela. Growth rates of ribbed mussels in six estuaries subject to different nutrient loads. *Biol. Bull.* 191:327-328.
- Fritz, C., E. LaBrecque, J. Tober, P.J. Behr, and I. Valiela. Shrimp in Waquoit Bay: Effects of nitrogen loading on size and abundance. *Biol. Bull.* 191:326-327.
- Galán Jiménez, E., J. Hauxwell, E. Heckscher, C. Reitsma, and I. Valiela. Selection of nitrogen-enriched macroalgae (*Cladophora vagabunda* and *Gracilaria tikvahiae*) by the herbivorous amphipod *Microdeutopus gryllotalpa*. *Biol. Bull.* 191:323-324.
- Heckscher, E., J. Hauxwell, E. Galán Jiménez, C. Reitsma, and I. Valiela. Selectivity by the herbivorous amphipod *Microdeutopus gryllotalpa* among five species of macroalgae. *Biol. Bull.* 191:324-326.
- LaBrecque, E., C. Fritz, J. Tober, P.J. Behr, and I. Valiela. Abundance and age-specific growth rates in relation to population densities of *Fundulus heteroclitus* in Waquoit Bay estuaries subject to different nitrogen loads. *Biol. Bull.* 191:319-320.
- Tober, J., C. Fritz, E. LaBrecque, P.J. Behr, and I. Valiela. Abundance, biomass, and species richness of fish communities in relation to nitrogen-loading rate of Waquoit Bay estuaries. *Biol. Bull.* 191:321-322.
- Yelenik, S., J. McClelland, N. Feinstein, and I. Valiela. Changes in N and C stable isotope signatures of particulate organic matter and ribbed mussels in estuaries subject to different nitrogen loading. *Biol. Bull.* 191: 329-330.
- Sardá, R. I. Valiela, and K. Foreman. Decadal shift in salt marsh macroinfaunal community in response to sustained long-term experimental nutrient enrichment. *J. Exp. Mar. Biol. Ecol.* 205:63-81.
- 1997 Portnoy, J.W., and I. Valiela. Short-term effects of salinity reduction and drainage on salt-marsh biogeochemical cycling and *Spartina* (cordgrass) production. *Estuaries* 20:569-578.
- Valiela, I., G. Collins, J. Kremer, K. Lajtha, M. Geist, B. Seely, J. Brawley, and C.H. Sham. Nitrogen loading from coastal watersheds to receiving estuaries: New method and application. *Ecol. Appl.* 7:358-380.
- McClelland, J.W., I. Valiela, and R. Michener. Nitrogen-stable isotope signatures in estuarine food webs: A record of increasing urbanization in coastal watersheds. *Limnol. Oceanogr.* 42:930-937.
- Valiela, I., J. McClelland, J. Hauxwell, P.J. Behr, D. Hersh, and K. Foreman. Macroalgal blooms in shallow estuaries: Controls and ecophysiological and ecosystem consequences. *Limnol. Oceanogr.* 42:1105-1118.

- Kinlan, B., E. Duffy, J. Cebrián, J. Hauxwell, and I. Valiela. Control on periphyton on *Zostera marina* by the eastern mudsnail, *Ilyanassa obsoleta* (Say), in a shallow temperate estuary. *Biol. Bull.* 193:286-287.
- Duffy, E., B. Kinlan, and I. Valiela. Influence of grazing and nitrogen loading on benthic microalgal biomass in estuaries of Waquoit Bay, Massachusetts. *Biol. Bull.* 193: 285-286.
- Whitman, A., J. Tober, and I. Valiela. Growth rates and abundance of *Fundulus heteroclitus* in estuaries subject to different land-derived nitrogen loads in Waquoit Bay, Massachusetts. *Biol. Bull.* 193: 289-290.
- Lee, R.Y., S.B. Joye, B.J. Roberts, and I. Valiela. Release of N₂ and N₂O from salt-marsh sediments subject to different land-derived nitrogen loads. *Biol. Bull.* 193:292-293.
- Heberlig, L., I. Valiela, B.J. Roberts, and L.A. Soucy. Field verification of predictions of the Waquoit Bay nitrogen loading model. *Biol. Bull.* 193:294-295.
- 1998 McClelland, J.W., and I. Valiela. Changes in food web structure under the influence of increased anthropogenic nitrogen inputs to estuaries. *Mar. Ecol. Progr. Ser.* 168:259-271.
- Sardá, R., K. Foreman, C.E. Werme and I. Valiela. The impact of epifaunal predation on the structure of macroinfaunal invertebrate communities of tidal saltmarsh creeks. *Est. Coast. Shelf Sci.* 46:657-669.
- Valiela, I., P. Peckol, C. D'Avanzo, J. Kremer, D. Hersh, K. Foreman, K. Lajtha, B. Seely, W.R. Geyer, T. Isaji, and R. Crawford. Ecological effects of major storms on coastal watersheds and coastal watersheds: Hurricane Bob on Cape Cod. *J. Coast. Res.* 14:218-238.
- Hauxwell, J., J. McClelland, P.J. Behr, and I. Valiela. Relative importance of grazing and nutrient controls of macroalgal biomass in three temperate shallow estuaries. *Estuaries* 21:347-360.
- McClelland, J., and I. Valiela. Linking nitrogen in estuarine producers to land-derived sources. *Limnol. Oceanogr.* 43:577-585.
- Rogers, J., J. Harris, and I. Valiela. Interaction of nitrogen supply, sea level rise, and elevation on species form and comparison of salt marsh plants. *Biol. Bull.* 195:
- Legra, J., R.E. Safran, and I. Valiela. Lead concentration as an indicator of contamination history in estuarine sediments. *Biol. Bull.* 195:
- Safran, R.E., J. Legra, and I. Valiela. Effects of nitrogen loading on eelgrass seed coat abundance, C to N ratios, and $\delta^{15}\text{N}$ in sediments of Waquoit Bay. *Biol. Bull.* 195:
- Kirkpatrick, J., K. Foreman, and I. Valiela. Dissolved inorganic nitrogen flux and mineralization in Waquoit Bay sediments as measured by core incubations. *Biol. Bull.* 195:
- Valiela, I. Review of "Environmental Oceanography", 2nd Ed., by T. Beer. *Quart. Rev. Biol.* 73:368-369.
- Cebrian, J., M. Williams, J. McClelland, and I. Valiela. The dependence of heterotrophic consumption and C accumulation on autotrophic nutrient content in ecosystems. *Ecology Letters* 1:165-170.
- 1999 Cebrian, J., and I. Valiela. Seasonal patterns in phytoplankton biomass in coastal ecosystems. *J. Plank. Res.* 21:429-444.

- Cubbage, A., D. Lawrence, G. Tomasky, and I. Valiela. Relationship of reproductive output in *Acartia tonsa*, chlorophyll concentration, and land-derived nitrogen loads in estuaries of Waquoit Bay, Massachusetts. *Biol. Bull.* 197:294-295.
- Kroeger, K.D., J.L. Bowen, D. Corcoran, J. Moorman, J. Michalowski, C. Rose, and I. Valiela. Nitrogen loading to Green Pond, Falmouth, MA: Sources and evaluation of management options. *Environment Cape Cod* 2:15-26.
- Thompson, S.M., and I. Valiela. Effects of nitrogen loading on enzyme activity of macroalgae in estuaries in Waquoit Bay. *Bot. Mar.* 42:519-529.
- Tomasky, G., J. Barak, I. Valiela, L. Soucy, P. Behr, and K. Foreman. Nutrient limitation of phytoplankton in Waquoit Bay, MA, USA: A nutrient enrichment study. *Aquat. Ecol.* 33:137-155.
- Wolfe, F.L., K.D. Kroeger, and I. Valiela. Increased lability of estuarine dissolved organic nitrogen from urbanized watersheds. *Biol. Bull.* 197:290-292.
- 2000 Cebrián, J., M.F. Pederson, K.D. Kroeger, and I. Valiela. Changes in the trophic fate of production of the seagrass *Cymodocea nodosa* (*Ucria*) Ascherson along meadow formation. *Mar. Ecol. Prog. Ser.* 204: 119-130
- Denault, M., E. Stieve, and I. Valiela. Effects of nitrogen load and irradiance on photosynthetic pigment concentrations in *Cladophora vagabunda* and *Gracilaria tikvahiae* in estuaries of Waquoit Bay. *Biol. Bull.* 199:223-225.
- Kremer, J.N., W.M. Kemp, A.E. Giblin, I. Valiela, S.P. Seitzinger, and E.E. Hofmann. Linking biogeochemical processes to higher trophic levels. Pp. 299-346. *In* J.E. Hobbie (ed.) *Estuarine Science: A Synthetic Approach to Research and Practice*. Island Press, Washington, DC.
- Tober, J.D., M. Griffin, and I. Valiela. Growth and abundance of *Fundulus heteroclitus* and *Menidia menidia* in estuaries of Waquoit Bay, Massachusetts exposed to different rates of nitrogen loading. *Aquat. Ecol.* 33: 147-155.
- Valiela, I., M. Geist, J. McClelland, and G. Tomasky. Nitrogen loading from watersheds to estuaries: Verification of the Waquoit Bay nitrogen loading model. *Biogeochemistry* 49:277-293.
- Valiela, I., G. Tomasky, J. Hauxwell, M. Cole, J. Cebrian, and K. Kroeger. Operationalizing sustainability: Making research useful for management and risk assessment of land-derived nitrogen loads to shallow estuaries. *Ecol. Appl.* 10: 1006-1023.
- Westgate, E.J., K.D. Kroeger, W.J. Pabich, and I. Valiela. Fate of anthropogenic nitrogen in a nearshore Cape Cod aquifer. *Biol. Bull.* 199:221-223.
- 2001 Bowen, J.L., and I. Valiela. Historical changes in atmospheric nitrogen deposition to Cape Cod, Massachusetts. *Atmosph. Environ.* 35: 1039-1051.
- Bowen, J.L., and I. Valiela. The ecological effects of urbanization of coastal watersheds: Historical increases in nitrogen loads and eutrophication of Waquoit Bay estuaries. *Can. J. Fish. Aquat. Sci.* 58:1489-1500.
- Evgenidou, A., and I. Valiela. Response of growth and density of a population of *Geukensia demissa* to land-derived nitrogen loading in Waquoit Bay, Massachusetts. *Est. Coast. Shelf Sci.* 55:125-138.

Fila, L., R.H. Carmichael, A. Shriver, and I. Valiela. Stable N isotopic signatures in bay scallop tissue, feces, and pseudofeces in Cape Cod estuaries subject to different N loads. *Biol. Bull.* 201:294-296.

Griffin, M.P.A., and I. Valiela. $\delta^{15}\text{N}$ isotope studies of life history and trophic position of *Fundulus heteroclitus* and *Menidia menidia*. *Mar. Ecol. Progr. Ser.* 214:299-305.

Hauxwell, J., J. Cebrián, C. Furlong, and I. Valiela. Macroalgal canopies associated with increased anthropogenic nitrogen supply contribute to eelgrass (*Zostera marina*) decline in temperate estuarine ecosystems. *Ecology* 82:1007-1022.

Hauxwell, A.M., C. Neill, I. Valiela, and K.D. Kroeger. Small-scale heterogeneity of nitrogen concentrations in groundwater at the seepage face of Edgartown Great Pond. *Biol. Bull.* 201:290-292.

Novak, M., M. Lever, and I. Valiela. Top-down vs. bottom-up controls of microphytobenthic standing crop: Role of mud snails and nitrogen supply in the littoral of Waquoit Bay estuaries. *Biol. Bull.* 201:292-294.

Pabich, W.J., I. Valiela, and H.F. Hemond. Relationship between DOC concentration and vadose zone thickness and depth below water table in groundwater of Cape Cod, U.S.A. *Biogeochemistry* 55:247-268.

Valiela I., J.L. Bowen, and J.K. York. Mangrove forests: One of the world's threatened major tropical environments. *BioScience* 51:807-815.

Valiela, I. J.L. Bowen, M.L. Cole, K.D. Kroeger, D. Lawrence, W.J. Pabich, G. Tomasky, and S. Mazzilli. Following up on a Margalevian concept: Interactions and exchanges among adjacent parcels of coastal landscapes. *Scientia Marina* 65:215-229.

Valiela, I., M.L. Cole, J. McClelland, J. Hauxwell, J. Cebrian, and S. Joye. Role of salt marshes as part of coastal landscapes. Pp. 23-38 in M. P. Weinstein, D. A. Kreeger, (eds.). *Concepts and Controversies in Tidal Marsh Ecology*. Kluwer Academic Publishers. Dordrecht, The Netherlands.

2002 Gaines, E.F., R.H. Carmichael, S.P. Grady, and I. Valiela. Stable isotopic evidence for changing nutritional sources of juvenile horseshoe crabs. *Biol. Bull.* 203:228-230.

LaMontagne, M.G., V. Astorga, A.E. Giblin, and I. Valiela. Denitrification and the stoichiometry of nutrient regeneration in Waquoit Bay, Massachusetts. *Estuaries* 25:272-281.

LaMontagne, M.G., R. Duran, and I. Valiela. Nitrous oxide sources and sinks in coastal aquifers and coupled estuarine receiving waters. *Sci. Tot. Environ.* 309:139-149.

Millman, M., M. Teichberg, P. Martinetto, and I. Valiela. Response of shrimp populations to land-derived nitrogen in Waquoit Bay, Massachusetts. *Biol. Bull.* 203:263-264.

Shriver, A.C., R.H. Carmichael, and I. Valiela. Growth, condition, reproductive potential, and mortality of bay scallops, *Argopecten irradians*, in response to eutrophic-driven changes in food resources. *J. Exp. Mar. Biol. Ecol.* 279:21-40.

Suggs, D.N., R.H. Carmichael, S.P. Grady, and I. Valiela. Effects of individual size on pairing in horseshoe crabs. *Biol. Bull.* 203:225-227.

- Valiela I., and J. L. Bowen. Nitrogen sources to watersheds and estuaries: Role of land cover mosaics and losses within watersheds. *Environ. Poll.* 118:239-248.
- Valiela, I., J.L. Bowen, and K.D. Kroeger. Assessment of models for estimation of land-derived nitrogen loads to shallow estuaries. *Appl. Geochem.* 17:935-953.
- Valiela, I., and M.L. Cole. Comparative evidence that salt marshes and mangroves may protect seagrass meadows from land-derived nitrogen loads. *Ecosystems* 5:92-102.
- Weiss, E.T., R.H. Carmichael, and I. Valiela. The effect of nitrogen loading on the growth rates of quahogs (*Mercenaria mercenaria*) and soft-shell clams (*Mya arenaria*) through changes in food supply. *Aquaculture* 211:275-289.
- 2003 Aguiar, A.B., J.A. Morgan, M. Teichberg, S. Fox, and I. Valiela. Transplantation and isotopic evidence of the relative effects of ambient and internal nutrient supply on the growth of *Ulva lactuca*. *Biol. Bull.* 205:250-251.
- Carmichael, R. H., D. Rutecki, and I. Valiela. Abundance and population structure of the Atlantic horseshoe crab *Limulus polyphemus* in Pleasant Bay, Cape Cod. *Mar. Ecol. Progr. Ser.* 246:225-239.
- Hauxwell, J., J. Cebrian, and I. Valiela. Eelgrass *Zostera marina* loss in temperate estuaries: Relationship to land-derived nitrogen loads and effect of light limitation imposed by algae. *Mar. Ecol. Progr. Ser.* 247:59-73.
- LaMontagne, M.G., R. Duran, and I. Valiela. Nitrous oxide sources and sinks in coastal aquifers and coupled estuarine receiving waters. *Sci. Total Environ.* 309:139-149.
- Morgan, J.A., A.B. Aguiar, S. Fox, M. Teichberg, and I. Valiela. Relative influence of grazing and nutrient supply on growth of the green macroalga *Ulva lactuca* in estuaries of Waquoit Bay, Massachusetts. *Biol. Bull.* 205:252-253.
- O'Connell, C.W., S.P. Grady, A.S. Leschen, R.H. Carmichael, and I. Valiela. Stable isotopic assessment of site loyalty and relationships between size and trophic position of the Atlantic horseshoe crab, *Limulus polyphemus*, within Cape Cod estuaries. *Biol. Bull.* 205:254-255.
- Valiela, I., and J.L. Bowen. Recent shifts in winter distribution in birds: Effects of global warming and local habitat change. *Ambio* 32:476-480.
- Valiela, I., S. Mazzilli, J.L. Bowen, K.D. Kroeger, M.L. Cole, G. Tomasky, and T. Isaji. ELM, an estuarine nitrogen loading model: Formulation and verification of predicted concentrations of dissolved inorganic nitrogen. *Water Air Soil Poll.* 157:365-391.
- 2004 Bowen, J.L., and I. Valiela. Nitrogen loads to estuaries: Using loading models to assess the effectiveness of management options to restore estuarine water quality. *Estuaries* 27:482-500.
- Carmichael, R.H., B. Annett, and I. Valiela. Nitrogen loading to Pleasant Bay, Cape Cod: Application of models and stable isotopes to detect incipient nutrient enrichment of estuaries. *Mar. Poll. Bull.* 48:137-143.
- Carmichael, R.H., D. Rutecki, B. Annett, E. Gaines, and I. Valiela. Position of horseshoe crabs in estuarine food webs: N and C stable isotopic study of foraging ranges and diet composition. *J. Exp. Mar. Biol. Ecol.* 299:231-253.
- Cole, M.L., I. Valiela, K.D. Kroeger, B. Fry, G.L. Tomasky, J. Cebrian, C. Wigand, R.A. McKinney, S.P. Grady, and M.H. Carvalho da Silva. Assessment of a $\delta^{15}\text{N}$ isotopic method to indicate anthropogenic eutrophication in aquatic ecosystems. *J. Environ. Qual.* 33:124-132.

- Hauxwell, J., and I. Valiela. Effects of nutrient loading on shallow seagrass-dominated coastal systems: patterns and processes. In S.L. Nielsen, M.F. Pedersen, and G. Banta (Eds.), *The influence of primary producers on estuarine nutrient cycling*. Pp 1-37. Kluwer Academic Publishers, the Netherlands.
- Lawrence, D., I. Valiela, and G. Tomasky. Estuarine calanoid copepod abundance in relation to season, salinity, and land-derived nitrogen loading, Waquoit Bay, MA. *Estuar. Coast. Shelf Sci.* 61:547-557.
- Rutecki, D., R.H. Carmichael, and I. Valiela. Magnitude of harvest of Atlantic horseshoe crabs, *Limulus polyphemus*, in Pleasant Bay, Massachusetts. *Estuaries* 27:179-187.
- Serveiss, V.B., J.L. Bowen, D. Dow, and I. Valiela. Using ecological risk assessment to identify the major anthropogenic stressor in the Waquoit Bay watershed, Cape Cod, Massachusetts. *Environ. Manag.* 33:730-740.
- Valiela, I., D. Rutecki, and S. Fox. Salt marshes: Biological controls of food webs in a diminishing environment. *J. Exp. Mar. Biol. Ecol.* 300:131-159.
- 2005 Botto, F., I. Valiela, O. Iribarne, P. Martinetto, J. Alberti. Impact of burrowing crabs on C and N sources, control, and transformations in sediments and food webs of SW Atlantic estuaries. *Mar. Ecol. Progr. Ser.* 293:155-164.
- Carmichael R.H. and I. Valiela. Coupling of near-bottom seston and surface sediment composition: Changes with nutrient enrichment and implications for estuarine food supply and biogeochemical processing. *Limnol. Oceanogr.* 50:97-105.
- Cole M.L., K.D. Kroeger, J.W. McClelland and I. Valiela. Macrophytes as indicators of land-derived wastewater: Application of a $\delta^{15}\text{N}$ method in aquatic systems. *Water Resources Research* 41: W01014, 1-9.
- Valiela, I., and P. Martinetto. The relative ineffectiveness of bibliographic search engines. *BioScience* 55:688-692.
- Hauxwell, J., J. Cebrian, and I. Valiela. Light dependence of *Zostera marina* annual growth dynamics in estuaries subject to different degrees of eutrophication. *Aquat. Bot.* 84:17-25.
- Lever, M.A., and I. Valiela. Response of microphytobenthic biomass to experimental nutrient enrichment and grazer exclusion at different land-derived nitrogen loads. *Mar. Ecol. Progr. Ser.* 294:117-129
- Kroeger, K.D, M.L. Cole, J.K. York, and I. Valiela. Quantifying ground water transported nitrogen loads to estuaries from large-scale wastewater plumes: Modeling and stable isotopic approaches. *Ground Water* 44:188-200.
- 2006 Martinetto, P., M. Teichberg, and I. Valiela. Coupling of estuarine benthic and pelagic food webs to land-derived nitrogen sources in Waquoit Bay, Massachusetts. *Mar. Ecol. Progr. Ser.* 307:37-48.
- Valiela, I. *Global Coastal Change*. Blackwell Publ. Oxford, U. K. 359 pp.
- Leschen, A. S., S. P. Grady, and I. Valiela. Fecundity and spawning of the Atlantic horseshoe crab, *Limulus polyphemus*, in Pleasant Bay, Cape Cod, Massachusetts. *Mar. Ecol.* 27:54-65.
- Kroeger, K. D., M. L. Cole, and I. Valiela. Groundwater-transported dissolved organic exports from coastal watersheds. *Limnol. Oceanogr.* 51:2248-2261.

Grady, S. P. and I. Valiela. Stage-structured matrix modeling and suggestions for management of Atlantic horseshoe crab, *Limulus polyphemus*, populations on Cape Cod, Massachusetts. *Estuaries and Coasts* 29:695-698.

Corbisier, T. N., L. S. H. Soares, M. A. V. Petti, M. H. C. Silva, E. Y. Muto, J. McClelland, and I. Valiela. Use of isotopic signatures to assess the food web in a tropical shallow marine ecosystem of Southeastern Brazil. *Aquatic Ecology* 40:381-390.

2007 York, J. K., G. Tomasky, I. Valiela, and D. J. Repeta. Stable isotopic detection of ammonium and nitrate assimilation by phytoplankton in the Waquoit Bay estuarine system. *Limnol. Oceanogr.* 52:144-155.

Bowen, J. L., K. D. Kroeger, G. Tomasky, W. J. Pabich, M. L. Cole, R. H. Carmichael, and I. Valiela. A review of land-estuary coupling by groundwater discharge of nitrogen to New England estuaries: Mechanisms and effects. *Appl. Geochem.* 22:175-191.

Valiela, I. and P. Martinetto. Breeding bird abundances in Eastern North America, urban sprawl, and loss of natural habitats: Expanding footprints of the developed world. *BioScience* 57:360-370.

Castro, P., I. Valiela, and H. Freitas. The use of sedimentary %C, %N, $\delta^{15}\text{N}$, and Pb concentrations to assess historical changes in anthropogenic influence on Portuguese estuaries. *Envir. Poll.* 147:706-712

Teichberg, M., L. Heffner, S. E. Fox, and I. Valiela. Nitrate reductase and glutamine synthetase activity, internal N pools, and growth of *Ulva lactuca*: Responses to long and short-term N supply. *Mar. Biol.* 151:1249-1259.

Kennish, J. S. B. Bricker, W. C. Dennison, P. M. Glibert, R. J. Livingston, K. A. Moore, R. T. Noble, H. W. Paerl, J. M. Ramstack, S. Seitzinger, D. A. Tomasko, and I. Valiela. 2007. Barnegat Bay-Little Egg Harbor estuary: Case study of a highly eutrophic coastal bay system. *Ecol. Appl.* 17:S3-S16.

Bowen, J. L., J. M. Ramstack, S. Mazzilli, and I. Valiela. NLOAD: An interactive, web-based modeling tool to predict nitrogen loads and concentrations in estuaries, and to explore options for nitrogen management. *Ecol. Appl.* 17:S17-S30.

Castro, P., I. Valiela, and H. Freitas. Eutrophication in Portuguese estuaries evidenced by $\delta^{15}\text{N}$ of macrophytes. *Mar. Ecol. Progr. Ser.* 351:43-51.

Culbertson, J. B., I. Valiela, E. E. Peacock, C. M. Reddy, A. Carter, and R. VanderKruik. Long-term biological effects of petroleum: Response of fiddler crabs to oil in salt marsh sediments. *Mar. Poll. Bull.* 54:995-962.

2008

Valiela, I., and S. E. Fox. Managing coastal wetlands. *Science* 319:290-291.

Valiela, I., and S. Fox. Mechanisms of ecological control over time: Evidence from coastal ecosystems. Valladares, F., Camacho, A., Elosegui, A., Estrada, M., Gracia, C., Senar, J.C. & Gili, J.M. (eds). *Unity in Diversity*. Ed. Rubes, Fundación BBVA, Madrid..

Bowen, J. L., and I. Valiela. Using $\delta^{15}\text{N}$ to assess coupling between watersheds and estuaries in temperate and tropical regions. *J. Coast. Res.* 24:804-813.

Fox, S. E., E. Stieve, I. Valiela, J. Hauxwell, and J. McClelland. Macrophyte abundance in Waquoit Bay: Effects of land-derived nitrogen loads on seasonal and multi-year patterns. *Estuaries and Coasts* 31:532-541.

Culbertson, J. B., I. Valiela, Y. S. Olsen, and C. M. Reddy. Effect of field exposure to 38-year-old residual petroleum hydrocarbons on growth, condition index, and filtration rate of the ribbed mussel, *Geukensia demissa*. *Environm. Pollut.* 154:312-319.

Culbertson, J., I. Valiela, M. Pickart, E. Peacock, and C. Reddy. Long-term consequences of residual petroleum on salt marsh grass in Wild Harbor, MA. *J. Appl. Ecol.* 45:1284-1292.

Teichberg, M., S. Fox, C. Aguila, Y. Olsen, and I. Valiela. Macroalgal responses to experimental nutrient enrichment in shallow coastal waters: growth, internal nutrient pools, and isotopic signatures. *Mar. Ecol. Prog. Ser.* 368:117-126.

2009

Valiela, I. *Doing Science: Design, Analysis, and Communication of Scientific Research*. Second Edition. Oxford University Press. 333 pages.

R. H. Carmichael, Hattenrath, T., I. Valiela, R. H. Michener. Nitrogen stable isotopes in the shell of *Mercenaria mercenaria* trace wastewater inputs from watershed to estuarine ecosystems. *Aquatic Biol.* 4:99-111.

Valiela, I., E. Kinney, J. Culbertson, E. Peacock, and S. Smith. Global losses of mangroves and salt marshes: Magnitudes, causes and consequences. Pp. 107-138, in Duarte, C. (ed.). *Global Loss of Coastal Habitats: Rates, Causes, and Consequences*. Fundación BBVA. Bilbao.

Carmichael, R. H., E. Gainea, Z. Sheller, A. Tong, A. Clapp, and I. Valiela. Diet composition of juvenile horseshoe crabs: Implications for growth and survival of natural and cultured stocks. Pp. 521-534, in Tancredi, J. T., et al. (eds.). *Biology and Conservation of Horseshoe Crabs*. Springer, N. Y.

In press

Baeta, A., R. Pinto, I. Valiela, P. Richard, N. Niquil, and J. C. Marques. $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ in the Mondego estuary food web: Seasonal variation in producers and consumers. *Marine Environmental Research*.

Baeta, A., I. Valiela, F. Rossi, R. Pinto, P. Richard, N. Niquil, and J. C. Marques. Eutrophication and trophic structure in response to the presence of the eelgrass *Zostera noltii*. *Marine Biology*.

Castro, P., I. Valiela, and H. Freitas. Sediment pool and plant content as indicators of nitrogen regimes in Portuguese estuaries. *Journal of Experimental Marine Biology and Ecology*.

Fox, S. E., Y. S. Olsen, M. Teichberg, and I. Valiela. Controls acting on benthic macrophyte communities in a temperate and a tropical estuary. Chapter in M. Kennish (ed.), *Ecology of Coastal Lagoons*. CRC Press.

Kinney, E. L., and I. Valiela. Nitrogen loading to Great South Bay: Land use, sources, retention, and transport from land to Bay. *J. Coastal Res.*

Teichberg, M., S. E. Fox, Y. S. Olsen, I. Valiela, P. Martinetto, O. Iribarne, E. Muto, M. Petti, T. N. Corbisier, M. Soto-Jiménez, F. Páez-Osuna, P. Castro, H. Freitas, A. Zitelli, M. Cardinaletti, and D. Tagliapietra. Eutrophication and macroalgal blooms in temperate and tropical coastal waters: Nutrient enrichment experiments with *Ulva* spp. *Global Change Biology*.

Y. S. Olsen, S. E. Fox, E. L. Kinney, M. Teichberg, and I. Valiela. Differences in urbanization and degree of marine influence is reflected in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ of producers and consumers in seagrass habitats of Puerto Rico. *Marine Environmental Research*.

Brin, L. D., I. Valiela, D. Goehringer, and B. Howes. Nitrogen interception and export in Great Sippewissett salt marsh plots exposed to chronic long-term experimental nutrient addition. *Marine Ecology Progress Series*.

York, J. K., G. Tomasky, I. Valiela, and A. Giblin. Isotopic approach to determining the fate of ammonium regenerated from sediments in a eutrophic sub-estuary of Waquoit Bay. *Estuaries and Coasts*.

Submitted

Olsen, Y. S., and I. Valiela. Effect of sediment nutrient enrichment and grazing on turtle grass *Thalassia testudinum* in Jobos Bay, Puerto Rico. *Estuaries and Coasts*.

Cole, M. L., K. D. Kroeger, J. W. McClelland, and I. Valiela. Effects of watershed land use on nitrogen concentrations and $\delta^{15}\text{N}$ of nitrogen in groundwater. *Biogeochemistry*.

Rietsma, C. S., R. O. Monteiro, and I. Valiela. Plant cover, herbivory, and resiliency in a Cape Cod salt marsh: Responses to multi-year manipulation of nutrient supply and competition. *Estuaries and Coasts*.

Pabich, W.J., H.F. Hemond, and I. Valiela. Denitrification rates in groundwater, Cape Cod, USA: Control by nitrate and DOC concentration. *Biogeochemistry*.

Pabich, W. J., H. F. Hemond, and I. Valiela. An empirical model to predict groundwater denitrification rates, Cape Cod, USA: Substrate limitation by nitrate and DOC. *Biogeochemistry*.

Tomasky, G., and I. Valiela. Residence time-mediated response of estuarine phytoplankton to land-derived nitrogen loads. *Scientia Marina*

York, J. K., D. J. Repeta, and I. Valiela. Nitrogen processing and phytoplankton assimilation in the Tijuana River, CA, and Childs River, MA: A stable isotopic assessment. *Estuaries and Coasts*.

Grady, S. P., R. H. Carmichael, and I. Valiela. Population dynamics and abundance of adult horseshoe crabs, *Limulus polyphemus*, in three Cape Cod estuaries. *Canad. J. Fish. Aquat. Sci.*

Grady, S. P., S. Cierpich, and I. Valiela. Growth, mortality and dispersal of juvenile horseshoe crabs in Pleasant Bay, Cape Cod. *J. Exp. Mar. Biol. Ecol.*

Tomasky, G., J. K. York, and I. Valiela. Down-estuary and seasonal patterns of nitrogen, phosphorus, and silica in Cape Cod estuaries with different land-derived nitrogen loads. *Scientia Marina*.

Fox, L., I. Valiela, E. L. Kinney. Vegetation cover and elevation in long-term experimental nutrient enrichment plots in Great Sippewissett salt marsh, Cape Cod, Massachusetts: Implications for eutrophication and sea level rise. *Estuaries and Coasts*.

Corbisier, T. N., S. Bromberg, P. F. Gheller, M. A. Petti, F. E. Piera, and I. Valiela. Spatial variation of the benthic marine food web in Admiralty Bay (King George Island, Antarctica): Analysis using stable isotopes. *Journal of Marine Systems*.